ELSEVIER

Volume 257, Numbers 1–2, 25 July 1997

Journal of ALLOYS AND COMPOUNDS

Contents

Physics

Structure and magnetic properties of $Sm_2(Fe_{1-x}Co_x)_{16}GaC$ and $Sm_2(Fe_{0.8}Co_{0.2})_{16}GaC_y$ compounds 1
S.-y. Zhang, B.-g. Shen, Z.-h. Cheng, J.-x. Zhang, B. Liang, F.-w. Wang, H.-y. Gong (Beijing, P.R. China)

Magnetism of ternary stannides RCuSn (R=Gd–Er) 5
S. Baran (Kraków, Poland), V. Ivanov (Moscow, Russian Federation), J. Leciejewicz (Warszawa, Poland), N. Stüsser (Berlin-Wannsee, Germany), A. Szytula (Kraków, Poland), A. Zygmunt (Wroclaw, Poland), Y.f. Ding (Berlin-Wannsee, Germany)

Flux trapping properties of Bi(Pb)–Sr–Ca–Cu–O superconducting hollow cylinder: the effect of azimuthal flux on flux trapping in the cavity 14
S. Çelebi (Trabzon, Türkiye), A. Gencer (Tandoğan-Ankara, Türkiye), A. Öztürk (Trabzon, Türkiye)

Magnetic phase diagram of $NdMn_2(Ge_{1-x}Si_x)_2$ system 19
Y.-g. Wang, F. Yang (Beijing, P.R. China), C. Chen (Hangzhou, P.R. China), N. Tang (Beijing, P.R. China), Q. Wang (Hangzhou, P.R. China)

Magnetic and transport properties of dense Kondo systems, $CeTSb_2$ (T = Ni, Cu, Pd and Ag) 23
Y. Muro, N. Takeda, M. Ishikawa (Tokyo, Japan)

Magnetic properties of the new $TbFeSi_2$-type $NdRhCu_{0.5}Si_{1.5}$ and $PrRhCu_{0.5}Si_{1.5}$ compounds from magnetic measurements and neutron diffraction 30
M.N. Norlidah, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France), E. Ressouche (Grenoble, France)

Crystal structure and magnetic ordering in $ErFe_6Ge_6$ studied by X-ray, neutron diffraction and magnetic measurements 36
O. Oleksyn, P. Schobinger-Papamantellos (Zürich, Switzerland), J. Rodríguez-Carvajal (Gif-sur-Yvette, France), E. Brück, K.H.J. Buschow (Amsterdam, The Netherlands)

Formation of a new series of 1222 layered cuprates $(Cd,M)Sr_2(Gd,Ce)_2Cu_2O_y$ (M = Ce, Sn, Mo and V) 46
H.M. Luo, Z.Y. Chen, Y.T. Qian, L. Shi, G.E. Zhou (Anhui, P.R. China)

^{155}Gd and ^{119}Sn Mössbauer effect investigations of GdCuSn and GdAuSn 49
D. Bialic, R. Kruk, R. Kmieć, K. Tomala (Kraków, Poland)

Electron transport in $Al_{65}Cu_{20}Co_{15-x}Fe_x$ quasicrystals 57
K. Singh, D. Bahadur, S. Radha, A.K. Nigam, S. Prasad (Bombay, India)

Density changes of ytterbium trifluoride on phase transitions 62
S.V. Stankus, R.A. Khairulin, P.V. Tyagel'sky (Novosibirsk, Russia)

Single-crystal structure refinement and luminescence analysis of β-$NaEuF_4$ 65
D. Zakaria (El-Jadida, Maroc), R. Mahiou, D. Avignant (Aubière, France), M. Zahir (El-Jadida, Maroc)

Effects of Mn and Cu doping in $La(T,Al)_{13}$ (T = Fe,Co) on crystal structure and magnetic properties 69
Y. Guo (Beijing, P.R. China), J. Liang (Beijing and Shenyang, P.R. China), X. Zhang, W. Tang, Y. Zhao, G. Rao (Beijing, P.R. China)

Alkali-metal manganese hydrides: synthesis, structure and magnetic properties 75
W. Bronger, S. Hasenberg, G. Auffermann (Aachen, Germany)

Structural studies of Laves phases $Zr(Cr_{1-x}Ni_x)_2$ with $0 \le x \le 0.4$ and their hydrides 82
M. Bououdina, J.L. Soubeyroux, D. Fruchart, P. de Rango (Grenoble, France)

Elsevier Science S.A.

Chemistry

Synthesis and structure of non-stoichiometric B_6O 91
M. Olofsson, T. Lundström (Uppsala, Sweden)

Electron paramagnetic resonance and optical absorption studies on vanadyl doped alkali tetraborate glasses 96
A. Murali, J. Lakshmana Rao, A. Venkata Subbaiah (Tirupati, India)

Phase relationships in the system Gd_2O_3–Al_2O_3–SiO_2 104
U. Kolitsch, H.J. Seifert, F. Aldinger (Stuttgart, Germany)

Synthesis and structure determination of a new series of hydrogen storage alloys; RMg_2Ni_9 (R = La, Ce, Pr, Nd, Sm and Gd) built from $MgNi_2$ Laves-type layers alternating with AB_5 layers 115
K. Kadir, T. Sakai, I. Uehara (Osaka, Japan)

Bond character and structural classification of inorganic carbon compounds based on the band parameters 122
Y. Makino (Osaka, Japan)

Ternary chlorides in the systems $ACl/HoCl_3$ (A = Cs, Rb, K) 128
M. Roffe, H.J. Seifert (Kassel, Germany)

Mixing enthalpy in the molten $NdCl_3$ – $(LiCl–KCl)_{eutectic}$ system 134
R. Takagi (Tokyo, Japan), L. Rycerz (Wroclaw, Poland), M. Gaune-Escard (Marseille, France)

On the dissolution of gold in K_2Q_x and Na_2Q_x fluxes (Q = S, Se). Formation of $KAuS_5$, $KAuSe_5$, $CsAuSe_3$, $KAuSe_2$ and $NaAuSe_2$: low-dimensional Au^+ and Au^{3+} compounds with poly- and mono-chalcogenide ligands 137
Y. Park, M.G. Kanatzidis (East Lansing, MI, USA)

Preparation of Ni powder by mechanochemical process 146
E.G. Baburaj, K.T. Hubert, F.H. (Sam) Froes (Moscow, ID, USA)

Hydrogen absorption in R_2Fe_{17} alloys (R = rare earth metals) thermodynamics, structural and magnetic properties 150
O. Isnard, S. Miraglia, D. Fruchart (Grenoble, France), E. Akiba, K. Nomura (Ibaraki, Japan)

Low-temperature oxidation of ilmenite ($FeTiO_3$) induced by high energy ball milling at room temperature 156
Y. Chen (Canberra, Australia)

Decomposition oxygen partial pressures of $Ln_{1-x}Sr_xMnO_3$ (Ln = La, Nd and Dy) 161
T. Atsumi, N. Kamegashira (Toyohashi, Japan)

The formation of unusually twofold coordinated boron in a sodalite matrix 168
H.-H.E. Pietsch, M. Fechtelkord, J.-C. Buhl (Hannover, Germany)

Syntheses and crystal structures of some new rare earth basic nitrates. II: $[Ln_6O(OH)_8(H_2O)_{12}(NO_3)_6](NO_3)_2 \cdot xH_2O$, Ln = Sm, Dy, Er; $x(Sm) = 6$, $x(Dy) = 5$, $x(Er) = 4$ 175
G. Giester, P. Unfried (Vienna, Austria), Z. Žák (Brno, Czech Republic)

Crystal structure and optical properties of Ln(III) octahedral complexes with hexamethylphosphortriamide; $[Ln(HMPA)_6](ClO_4)_3$ 182
E. Gałdecka, Z. Gałdecki, E. Huskowska (Wrocław, Poland), V. Amirkhanov (Kiev, Ukraine), J. Legendziewicz (Wrocław, Poland)

Structural mechanism of thermal reactions of larderellite 191
I. Waclawska (Cracow, Poland)

Crystal structure of the new silicide $Dy_3Fe_2Si_3$ 196
R. Welter, I. Ijjalli, G. Venturini, B. Malaman (Vandoeuvre les Nancy, France)

Tin-containing nasicon-related compounds: a new mixed valence compound, $Sn_{0.5}Sn_2P_3O_{12}$, containing Sn^{4+} and Sn^{2+} and lithium incorporation within $CuSn_2P_3O_{12}$ 201
F.J. Berry, R.C. Thied (Milton Keynes, UK)

Metallurgy

Isothermal section at 800°C of the ternary system Tm–Fe–Si 205
M. Müller, H. Schmidt, H.F. Braun (Bayreuth, Federal Republic of Germany)

Calorimetric determination of $NiAl_3$-growth kinetics in sputter-deposited Ni/Al diffusion couples 211
C. Michaelsen (Geesthacht, Germany), K. Barmak (Bethlehem, PA, USA)

The Zr–Au system 215
M. Lomello-Tafin (Lausanne, Switzerland and Annecy-Le-Vieux, France), P. Galez (Annecy-Le-Vieux, France), J.C. Gachon (Vandoeuvre-Les-Nancy, France), P. Feschotte (Lausanne, Switzerland), J.L. Jorda (Annecy-Le-Vieux, France)

The phase diagram of the Sc–Au system 224
A. Palenzona, P. Manfrinetti (Genova, Italy)

Standard enthalpies of formation of some 3d transition metal carbides by high temperature reaction calorimetry 227
S.V. Meschel, O.J. Kleppa (Chicago, IL, USA)

Calorimetric study of ternary liquid Al–La–Ni alloys 234
H. Feufel, F. Schuller, J. Schmid, F. Sommer (Stuttgart, Germany)

Kinetic properties of the Ti–Ni intermetallic phases and alloys for hydrogen evolution 245
N.V. Krstajić, B.N. Grgur, M. Zdujić, M.V. Vojnović (Belgrade, Yugoslavia), M.M. Jakšić (Belgrade-Zemun, Yugoslavia)

The binary system Ni–In 253
Ph. Durussel, G. Burri, P. Feschotte (Lausanne-Dorigny, Switzerland)

A theoretical method for deducing the evolution with time of the fraction crystallized and obtaining the kinetic parameters by DSC, using non-isothermal techniques 259
J. Vázquez, P. Villares, R. Jiménez-Garay (Cádiz, Spain)

Artificial neural network method applied to enthalpy of fusion of transition metals 266
W. Zeng, N. Chen (Shanghai, P.R. China)

Crystal chemistry of $NpNi_5$ compound 268
M. Akabori (Ibaraki-ken, Japan), R.G. Haire, J.K. Gibson (Oak Ridge, TN, USA), Y. Okamoto, T. Ogawa (Ibaraki-ken, Japan)

Material Science

Magnetic and microstructural properties of sintered FeNdB-based magnets with W, Mo and Nb additions 273
A. Yan, X. Song, M. Song, X. Wang (Xi'an, P.R. China)

Gas chromatographic separation of H_2–D_2 mixtures by Pd–Pt alloy near room temperature 278
K. Watanabe, M. Matsuyama, T. Kobayashi, S. Taguchi (Toyama, Japan)

Investigation of the light induced refractive index changes in Fe:PVA 285
V. Kuncser, G. Filoti, A. Avramescu (Bucharest, Romania), R. Podgorsek, M. Biebricher, H. Franke (Duisburg, Germany)

Hot deformation of nanocrystalline Nd–Fe–B alloys 293
W. Grünberger, D. Hinz, A. Kirchner, K.-H. Müller, L. Schultz (Dresden, Germany)

Activation behaviour of mechanically Ni-coated Zr-based Laves phase hydride electrode 302
D. Sun (Hangzhou, P.R. China), M. Latroche, A. Percheron-Guégan (Meudon, France)

Effects of small silver addition to AuCu on the AuCu I ordering process and age-hardening behaviours 306
T. Shiraishi, M. Ohta, M. Nakagawa, R. Ouchida (Fukuoka, Japan)

The oxidation of uranium–cerium mononitride microspheres 313
J.V. Dehadraya, S.K. Mukerjee, G.A. Rama Rao, V.N. Vaidya, V. Venugopal, D.D. Sood (Mumbai, India)

Author Index of Volume 257 322

Subject Index of Volume 257 323